

**Date of valid edition**

2020-07-20

**No./Revision:****4019-41****Date of first issue:**

2004-11-29

**Name and address of certificate holder****Uponor Infra Oy**  
**P.O. Box 21**  
**FI-15561 NASTOLA**

Conformity marks covered by the certificate:

**Marks regarding products in contact with drinking water:****•DK-VAND•**Requirements according to [www.vand-dk.org](http://www.vand-dk.org)**Information regarding the certificate holder/manufacturer**

<b>Contact person</b> Jaana Hallikas	<b>Telephone</b> +358 20 129 211	
	<b>E-mail</b> jaana.hallikas@uponor.com	
<b>Manufacturer</b>	<b>Place of manufacture</b> Fristad, Sverige	

**Product covered by the certificate**

<b>Type of product</b>	<b>Standard/Normative document</b>	<b>Specific rules</b>
Tryckledning för vatten och avlopp. Polyeten (PE).	EN 12201-1	SBC 12201
<b>Specification of product</b> PE tryckrör för att leda vatten och avloppsvatten enligt Bilaga 1. Godkända råmaterial enligt Bilaga 2 (konfidentiell). Besiktning av tillverkningstället: SP F319916		

The certificate holder above is hereby given permission to use the INSTA-CERT mark on or in connection with products, which fulfil the requirements of the standard or the normative document specified above (what is said in this document about INSTA-CERT mark will also be valid for marks defined in relevant SBC). The certificate is valid on the condition that the certificate holder complies with "General rules for certification by partners of INSTA-CERT" (GRC) and the specific rules applying to certification of products of the type mentioned. The certificate holder is obliged to indemnify INSTA-CERT partners of any claim for damages or any other expenses to which partners may become liable as a result of injuries caused by a product manufactured or sold by the certificate holder. This also applies to defective or faulty products.

Unless terminated, the certificate will be automatically extended for one year at a time. The certificate will be re-issued with a new "date of valid edition" only if the content and/or conditions of the certificate have been changed. Termination may take place to the end of a year subject to three months' notice on the part of the certificate holder and the certification body. Information of valid certificates is available on INSTA-CERT homepage, [www.insta-cert.net](http://www.insta-cert.net).

The certificate is not transferable.

**MEMBER OF INSTA-CERT:**  
INSPECTA CERTIFIOINTI OY

Maija Vanttaja, Managing Director

Certificate No. 4019-41

Date 2020-07-20

**Certificate holder**

Uponor Infra Oy  
P.O. Box 21  
FI-15561 NASTOLA

**PE tryckrör för att leda vatten och avloppsvatten**

RÖR:

Produkt namn Uponor tryckrörssystem PE













<b>PE 80 - Svart och svart med blåa eller bruna sträckor</b>		
SDR 11		
Dimensioner, mm - storleksgrupper 1-3	20 - 630	DK-VAND FI
SDR 17		
Dimensioner, mm - storleksgrupper 1 - 4	32- 710	DK-VAND FI
<b>PE 80 Samextruderad - Blå - svart inre yta</b>		
SDR 11		
Dimensioner, mm - storleksgrupper 1 - 2	20 - 225	FI
Dimensioner, mm - storleksgrupper 1	20-63	DK-VAND FI
SDR 17		
Dimensioner, mm - storleksgrupper 1 - 2	32 - 225	FI
Dimensioner, mm -storleksgrupper 1	32-63	DK-VAND FI
<b>PE 100 - Svart, svart med blåa eller bruna sträckor</b>		
SDR 11		
Dimensioner, mm - storleksgrupper 1-2	20 - 225	DK-VAND FI
Dimensioner, mm - storleksgrupper 3	250 - 630	DK-VAND FI
SDR 17		
Dimensioner, mm - storleksgrupper 1-2	32 - 225	DK-VAND FI
Dimensioner, mm - storleksgrupper 3	250 - 630	DK-VAND FI
SDR 26		
Dimensioner, mm - storleksgrupper 1-2	50 - 225	DK-VAND FI
Dimensioner, mm - storleksgrupper 3	250 - 630	DK-VAND FI

Certificate No. 4019-41

Date 2020-07-20

**Certificate holder**

Uponor Infra Oy  
P.O. Box 21  
FI-15561 NASTOLA

<b>PE 100 Profuse -rör</b> (Profuse och Profuse RC) - Blå-svart och rödbrun-svart		
SDR 11		
Dimensioner, mm - storleksgrupper 1-2	20 - 225	 
Dimensioner, mm - storleksgrupper 3	250 - 630	 
SDR 17		
Dimensioner, mm - storleksgrupper 1-2	32 - 225	 
Dimensioner, mm - storleksgrupper 3	250 - 630	 
SDR 26		
Dimensioner, mm - storleksgrupper 1-2	50 - 225	 
Dimensioner, mm - storleksgrupper 3	250-630	 

Fog

stumfog och elsvetningsfog

Tillverkarens beteckning på produkter 5